





Muon Collider as a site filler for Fermilab


Diktys Stratakis Snowmass Agora on Future Colliders: Muon Colliders 16 February 2022

Brief history

- Between 2011-2016 the Muon Accelerator Program (MAP) was formed to address key feasibility issues of a Muon Collider
 - Focused on a proton-driver based solution. Significant progress achieved
 - MAP was terminated in 2016 and most related work paused
- Since 2019, increasingly growing interest in muon colliders from the particle physics community, especially in Europe.
- In 2021, CERN Council has charged the EU Laboratory Directors Group to develop the Accelerator R&D Roadmap for the next decade:
 - Three community meetings organized with the goal to define the needed muon R&D with deliverables and demonstrators
 - Strong participation from US scientists in these meetings many of them served either as conveners or panel members
- Muon Colliders are now part of the European Accel. R&D Roadmap



Muon Collider publication statistics



- Recently, there is a considerable increase in Muon Collider publications
- A clear indication of interest from the community



Preparation for Snowmass: Muon Collider Forum

- The Snowmass Energy, Theory and Accelerator Frontier Conveners have created a <u>Muon Collider Forum</u> to provide input to Snowmass on the muon collider based on the recent high-level of interest
- The intention of this informal organization is to not compete with other efforts but to have a US driven component.
- Muon Forum meets on a monthly basis and has invited several experts in the field to give presentations
- Two coordinators from each frontier



"Muon Forum": Discussion Forum on Muon Colliders

Forum Mailing List: SNOWMASS-MUON-COLLIDER-FORUM@FNAL.GOV

SLACK Channel: #muon-collider-forum under Snowmass Energy Frontier

Name	Institution	email	frontie
Derun Li	Lawrence Berkeley Lab	dli[at]lbl.gov	AF
Diktys Stratakis	Fermilab	diktys[at]fnal.gov	AF
Kevin Black	University of Wisconsin	kblack[at]hep.wisc.edu	EF
Sergo Jindariani	Fermilab	sergo[at]fnal.gov	EF
Fabio Maltoni	University of Bologna/CERN	maltoni.fabio[at]gmail.com	TF
Patrick Meade	Stony Brook University	patrick.r.meade[at]gmail.com	TF




Muon Collider Forum Outlook

- Build a strong collaboration between the particle physics and accelerator communities for Muon Collider (MC) research
- Make a strong physics case for a MC
- Organize dedicated workshops
 - Hosted an accelerator MC workshop recently (next slides)
- Write a joint MC Forum Report for Snowmass.
 - It will help to identify key areas where US can provide critical contributions to the global MC R&D efforts.
 - Present a "Fermilab Site-Filler" as one of options for hosting a MC in the future.
- The Report will also be useful for the Snowmass frontier summaries and possibly P5 deliberations.



Muon Collider components & parameters



μ-Collider Goals: 126 GeV ➡ ~14,000 Higgs/<u>yr</u> Multi-TeV ➡ Lumi > 10³⁴cm⁻²s⁻¹

Target parameters of IMCC (2022)

Tentative target parameters, scaled from MAP parameters

Parameter	Unit	3 TeV	10 TeV	14 TeV		
L	10 ³⁴ cm ⁻² s ⁻¹	1.8	20	40		
N	1012	2.2	1.8	1.8		
f _r	Hz	5	5	5		
P _{beam}	MW	5.3	14.4	20		
С	km	4.5	10	14		
	Т	7	10.5	10.5		
ϵ_{L}	MeV m	7.5	7.5	7.5		
σ_E / E	%	0.1	0.1	0.1		
σ_{z}	mm	5	1.5	1.07		
β	mm	5	1.5	1.07		
ε	μm	25	25	25		
$\sigma_{x,y}$	μm	3.0	0.9	0.63		
Snowmass process to give feedback on this						

- MAP took a staged approach:
 - End-to-end design for a Neutrino Factory & a 125 GeV Higgs Factory.
 - Considered colliders at 1.5, 3 and 6 TeV
- Recent quotes from particle physicists:
 - "There are many things pointing to the 10 TeV energy scale as interesting"
 - "A Higgs factory isn't just a low energy thing"



MC Forum: Accel. workshop on MC (Jan. 26, 2022)

- Define a path for US accelarator R&D contributions to the global effort
 - <u>Vladimir Shiltsev</u> Synergies [Talk]
- Discuss potential US site fillers
 - <u>David Neuffer (FNAL)</u> Fermilab site filler [<u>Talk</u>]
- Discuss synergies between US and IMCC:
 - Daniel Schulte Synergies US IMCC [Talk]
- Discuss technology status and R&D needs:
 - Scott Berg (BNL) MC acceleration technology [Talk]
 - Christian Carli (CERN) Neutrino flux mitigation [Talk]
 - <u>Tianhuan Luo</u> (LBNL) RF technology [<u>Talk</u>]
 - <u>Nikolai Mokhov</u> (FNAL) Neutrino flux mitigation [<u>Talk</u>]
 - Nadia Pastrone (INFN-Torino) MDI [<u>Talk</u>]
 - <u>Katsuya Yonehara</u> (FNAL) Targetry & Cooing [<u>Talk</u>]
 - Alexander Zlobin (FNAL) Magnet technology [<u>Talk</u>]
- Discuss synergies with other accelerator efforts: Muon/Ion Collider [Talk]



A path for a Muon Collider at Fermilab

- A conceptual design is in place
- Proton source
 - PIP-II upgrade -> Target
- Ionization cooling channel
- Acceleration (3 stages)
 - Linac + Recirculating Linac → 65 GeV
 - Rapid Cycling Synchrotrons #1, #2 → 1 TeV
 (Tevatron size)
 - RCS #3 → 5 TeV (site filler)
- 10 TeV collider
 - Collider radius: 1.65 km
- Staging @125 GeV (Higgs) or @ 3 TeV (IMCC) possible

David Neuffer, [Details] Parking Lots Ponds - Public Access Roads ---- Bicycle Path - Trails Accelerator Ring Site Site Site As Site W. BAT VIA DE CONTINUE PRING Protons cooling Tevatron Collider (decommissioned) Particle Physics Division FUTURE COLLIDERS GROUP (P. Bhat, Head) (S. Jindariani, Deputy Head) (A. Bross, ND) (J. Butler) (S. Posen, APSTD) (A. Canepa) (S. Nagaitsev, DO) (S. Belomestnykh, APSTD) (D. Elvira, SCD) (G. Apollinari, APSTD) (T. Sen, AD) (M. Syphers, AD, JA/NIU) (V. Shiltsev, AD) (P. Fox. Theory) (Z. Gecse)

Fermilab new formed Future Colliders Group is actively exploring filler option

Site filler: status, future R&D & synergies (1)

Needs & issues for FNAL site filler

Proton Driver

Future possibilities

MW scale 8 GeV proton SRF linac

- PIP-II will increase power to 1.2 MW
- Synergy: With booster upgrades to > 2 MW

Target

- MAP considered 2-4 MW class. Materials:
 Liquid Mercury or Gallium jets. Carbon was also considered as a starter.
- Potential to "relax" power requirements with cooling improvements;
- Synergy: With active FNAL target program.
 Examples includes the 100 kW (Mu2e-II) and
 1.2-2.4 MW LBNF program

Cooling

- Normal Cond. RF inside multi-Tesla field
- MAP considered SC solenoids @ 30 T
- MAP considered cooling to 25 μm (trans) but only 55 μm achieved
- MAP considered ~ km scale channels

- Showed 50 MV/m @ 3T; More tests needed
- NMR magnets @ 28 T; Record 32 T (NHMFL)
- Improve cooling designs: Consider integration of AI (Synergy: With FNAL AI group);
 Tremendous benefits with more cooling!



Site filler: status, future R&D & synergies (2)

Needs & issues for FNAL site filler

Acceleration

Future possibilities

- RCS need dipoles that combine a SC 16 T DC field AND 500-1000 T/s ramp field with 4 T peak
- SC RF 1300 MHz at 50 MV/m
- Beam loading

- 8 T NbTi dipoles currently at LHC; 16 T considered for FCC-hh;
- Fermilab showed HTS ramp magnets at 290
 T/s but with 0.6 T; More research is needed!
- 1300 MHz at 35 MV/m demonstrated for ILC
- Synergy: US Magnet Development Program (MDP)
- Synergy: Test and simulation of beam loading with RF @ FAST (Fermilab)

Collider Ring

- Collider ring with arc 16 T dipoles with 15 cm bore
- Neutrino flux radiation
- Only lattices up to 6 TeV studied

- US-MDP 120 mm ID, 12-15 T dipole demonstrators with Nb₃Sn coils (3-4 years)
- Fermilab has x10 higher dose limits than Europe: Neutrino mitigation @ 100 m depth; Additional mitigation with more cooling.
- Detailed lattice designs for 10 TeV needed
- Synergy: US MDP program



A few comments for a Higgs factory

- Based on recent MC Forum meetings it appears that the particle physics community is interested for a Higgs factory
- Considerable overlap between the accelerator complex required for a 125 GeV Higgs Factory with that required for a multi-TeV machine
 - MAP studies suggest that proton driver, front end, initial cooling, and 6D cooling systems are can be shared with a multi-TeV collider
- The Higgs Factory configuration could be an ideal accelerator demonstration for subsequent higher energy stages.
- Non-overlapping systems and issues:
 - Final Cooling system; High-Energy Acceleration systems; Neutrino radiation mitigation techniques
 - Much simpler: More established acceleration methods; Collider ring has a circumference of 300 m.

A muon collider as a Higgs factory

[Details]

D. Neuffer, M. Palmer, Y. Alexahin (Fermilab)C. Ankenbrandt (MUONS, Inc., Batavia)J.P. Delahaye (SLAC)



Summary

- There has been a recent considerable growth of interest about MC from the particle physics community:
 - Significant growth of related publications
 - Significant growth of related workshops
 - Formation of the IMCC in progress
 - US Muon Forum actively participates in the process
- A recent survey on ongoing work and planned White Papers submissions show a continuing STRONG interest from the US side!
 [Details]
- We hope that Snowmass/ P5 would consider at some level the muon collider program in the US
 - Provide funding for R&D and collaboration with IMCC
 - Further develop the site-filler concept

